



US Army Corps
of Engineers
Alaska District

Public Notice of Application for Permit

Regulatory Branch (1145b)
Post Office Box 6898
Elmendorf AFB, Alaska 99506-6898

PUBLIC NOTICE DATE: April 1, 2003
EXPIRATION DATE: April 30 2003
REFERENCE NUMBER 4-2002-1084
WATERWAY NUMBER: Port Bagial 02

Interested parties are hereby notified that an application has been received for a Department of the Army permit for certain work in waters of the United States as described below and shown on the attached plan.

APPLICANT City of Craig, Post Office Box 725, Craig, Alaska 99921

LOCATION: The project is located at Latitude 55° 27' 24", Longitude 133° 01' 32" W., section 13, T. 74 S, R. 81 E, Copper River Meridian, approximately 5 miles southeast of Craig, Alaska.

WORK: This project will discharge 2,400 cubic yards (cy) of shot rock and 390 cy of D-1 crushed aggregate for use as a pad for expansion of the existing water treatment plant and for a future fish rearing facility. An additional 100 cy of shot rock will be used in the 8' x 24" x 160' drainage ditch.

PURPOSE: The purpose of this project is expansion of the existing water plant to allow installation of another water treatment train and chemical storage. This work will allow expansion of the site for a future fish rearing facility of the Prince of Wales Hatchery Association.

ADDITIONAL INFORMATION: The existing raw land has second growth trees which require clearing/grubbing prior to placement of rock fill for the new parking area, building addition and fish facility.

Agent is R&M Engineering, Incorporated, 355 Carlanna Lake Road, Ketchikan, Alaska 99901.

MITIGATION None proposed

WATER QUALITY CERTIFICATION: A permit for the described work will not be issued until a certification or waiver of certification as required under Section 401 of the Clean Water Act (Public Law 95-217), has been received from the Alaska Department of Environmental Conservation.

COASTAL ZONE MANAGEMENT ACT CERTIFICATION: Section 307(c)(3) of the Coastal Zone, Management Act of 1972, as amended by 16 U.S.C. 1456(c)(3), requires the applicant to certify that the described activity affecting land or water uses in the Coastal

Zone complies with the Alaska Coastal Management Program. A permit will not be issued until the Office of Management and Budget, Division of Governmental Coordination has concurred with the applicant's certification.

PUBLIC HEARING: Any person may request, in writing, within the comment period specified in this notice, that a public hearing be held to consider this application. Requests for public hearings shall state, with particularity, reasons for holding a public hearing.

CULTURAL RESOURCES: The latest published version of the Alaska Heritage Resources Survey (AHRS) has been consulted for the presence or absence of historic properties, including those listed in or eligible for inclusion in the National Register of Historic Places. There are no listed or eligible properties in the vicinity of the worksite. Consultation of the AHRS constitutes the extent of cultural resource investigations by the District Engineer at this time, and he is otherwise unaware of the presence of such resources. This application is being coordinated with the State Historic Preservation Office (SHPO). Any comments SHPO may have concerning presently unknown archeological or historic data that may be lost or destroyed by work under the requested permit will be considered in our final assessment of the described work.

ENDANGERED SPECIES: No threatened or endangered species are known to use the project area. Preliminarily, the described activity will not affect threatened or endangered species, or their critical habitat designated as endangered or threatened, under the Endangered Species Act of 1973 (87 Stat. 844). This application is being coordinated with the United States Fish and Wildlife Service and the National Marine Fisheries Service. Any comments they may have concerning endangered or threatened wildlife or plants or their critical habitat will be considered in our final assessment of the described work.

ESSENTIAL FISH HABITAT: The proposed work is being evaluated for possible effects to Essential Fish Habitat (EFH) pursuant to the Magnuson Stevens Fishery Conservation and Management Act of 1996 (MSFCMA), 16 U.S.C. et seq and associated federal regulations found at 50 CFR 600 Subpart K. The Alaska District includes areas of EFH as Fishery Management Plans. We have reviewed the January 20, 1999, North Pacific Fishery Management Council's Environmental Assessment to locate EFH area as identified by the National Marine Fisheries Service (NMFS). We have determined that the described activity within the proposed area will not adversely affect EFH, including anadromous fish and federally managed fishery resources.

SPECIAL AREA DESIGNATION: The proposed project will impact approximately 0.481 acres of palustrine forested wetland (PFO4).

EVALUATION: The decision whether to issue a permit will be based on an evaluation of the probable impacts including cumulative impacts of the proposed activity and its intended use on the public interest. Evaluation of the probable impacts, which the proposed activity may have on the public interest, requires a careful weighing of all those factors which become relevant in each particular case. The benefits, which reasonably may be expected to accrue from the proposal, must be balanced against its reasonably foreseeable detriments. The decision whether to authorize a proposal, and if so, the conditions under which it will be allowed to occur, are therefore determined by the outcome of the general balancing process. That decision should reflect the national concern for both protection and utilization of important resources. All factors, which may be relevant to the proposal, must be considered including the cumulative effects thereof. Among those are conservation, economics, aesthetics, general environmental concerns, wetlands, cultural values, fish and wildlife values, flood hazards, floodplain values, land use, navigation, shore erosion and accretion, recreation, water supply and conservation, water quality, energy needs, safety, food and fiber production, mineral needs, considerations of property ownership, and, in general, the needs and welfare of the people. For activities involving 404 discharges, a

permit will be denied if the discharge that would be authorized by such permit would not comply with the Environmental Protection Agency's 404(b)(1) guidelines. Subject to the preceding sentence and any other applicable guidelines or criteria (see Sections 320.2 and 320.3), a permit will be granted unless the District Engineer determines that it would be contrary to the public interest.

The Corps of Engineers is soliciting comments from the public; Federal, State, and local agencies and officials; Indian Tribes; and other interested parties in order to consider and evaluate the impacts of this proposed activity. Any comments received will be considered by the Corps of Engineers to determine whether to issue, modify, condition or deny a permit for this proposal. To make this decision, comments are used to assess impacts on endangered species, historic properties, water quality, general environmental effects, and the other public interest factors listed above. Comments are used in the preparation of an Environmental Assessment and/or an Environmental Impact Statement pursuant to the National Environmental Policy Act. Comments are also used to determine the need for a public hearing and to determine the overall public interest of the proposed activity.

Comments on the described work, with the reference number, should reach this office no later than the expiration date of this Public Notice to become part of the record and be considered in the decision. Please contact Ms. V. Glooschenko at (907) 753-2720 or toll free in Alaska at (800) 478-2712, if further information is desired concerning this notice.


AUTHORITY This permit will be issued or denied under the following authorities

(X) Discharge dredged or fill material into waters of the United States - Section 404 Clean Water Act (33 U.S.C. 1344). Therefore, our public interest review will consider the guidelines set forth under Section 404(b) of the Clean Water Act (40 CFR 230).

A plan, Notice of Application for Certification of Consistency with the Alaska Coastal Management Program, and Notice of Application for State Water Quality Certification are attached to this Public Notice.

District Engineer
U.S. Army, Corps of Engineers

Attachments



PROJECT QUANTITIES:

CLEARING & GRUBBING	.48 ACRES
MUSKEG EXCAVATION	1200 CUBIC YARDS
SHOT ROCK EMBANKMENT	2500 CUBIC YARDS
D-1 SURFACING	390 CUBIC YARDS


CRAIG WATER TREATMENT PLANT	
30' ADDITION TO WATER PLANT, NEW ROCK PAD AND DRAINAGE DITCH	
APPLICANT: CITY OF CRAIG P.O. BOX 725 CRAIG, AK 99921	AGENT: R&M ENGINEERING—KETCHIKAN 355 CARLANNA LAKE ROAD KETCHIKAN, AK 99901
DATE: 1/21/03 SHEET: 1 OF 3	LOCATION: CITY OF CRAIG WATER BODY: PORT ST NICHOLAS

TRACT J, SHAAN-SEET,
INCORPORATED LANDS
OWNER: CITY OF CRAIG

EXIST. PROPERTY
LINE (TYP)

FUTURE
POW HATCHERY
ASSOCIATION FACILITY

GRAVEL PAD




VICINITY MAP

500 0 1000

SCALE IN FEET

LOT
CORNER

EXIST.
SEPTIC
TANK



NEW SHOT
ROCK PAD

LOT 1, PORT ST.
NICHOLAS SUBDIVISION
OWNER: JIM EDENSO
16534 RUBY LAKE
WESTON, FL 33331



EXIST.
FENCE

NEW ROCK
PAD SHOULDER

NEW DRAINAGE
DITCH



NEW
FENCE

LOT 4A
OWNER: CITY OF CRAIG

LOT 4A
OWNER: IVAN AUKER
P.O. BOX 375
CRAIG, AK 99921

121.78 ft.
S.74°20'15"W

LOT 3B

PLAN VIEW

25 0 50

SCALE IN FEET

CRAIG WATER TREATMENT PLANT



30' ADDITION TO WATER PLANT,
NEW ROCK PAD AND DRAINAGE DITCH

APPLICANT:
CITY OF CRAIG
P.O. BOX 725
CRAIG, AK 99921

AGENT:
R&M ENGINEERING-KETCHIKAN
355 CARLANNA LAKE ROAD
KETCHIKAN, AK 99901


DATE: 2/28/03
SHEET: 2 OF 3

LOCATION: CITY OF CRAIG
WATER BODY: PORT ST NICHOLAS



TYPICAL SECTION

NOT TO SCALE



TYPICAL DRAINAGE DITCH

NOT TO SCALE

CRAIG WATER TREATMENT PLANT

30' ADDITION TO WATER PLANT,
NEW ROCK PAD AND DRAINAGE DITCH

APPLICANT:
CITY OF CRAIG
P.O. BOX 725
CRAIG, AK 99921

AGENT:
R&M ENGINEERING-KETCHIKAN
355 CARLANNA LAKE ROAD
KETCHIKAN, AK 99901

DATE: 1/21/03
SHEET: 3 OF 3

LOCATION: CITY OF CRAIG
WATER BODY: PORT ST NICHOLAS

STATE OF ALASKA

OFFICE OF THE GOVERNOR

**OFFICE OF MANAGEMENT AND BUDGET
DIVISION OF GOVERNMENTAL COORDINATION**

CENTRAL OFFICE
P.O. BOX 110030
JUNEAU, ALASKA 99811-0030
PHONE: (907) 465-3562/FAX (907) 465-3075

**NOTICE OF APPLICATION
FOR
CERTIFICATION OF CONSISTENCY WITH THE
ALASKA COASTAL MANAGEMENT PROGRAM**

Notice is hereby given that a request is being filed with the Division of Governmental Coordination for a consistency determination, as provided in Section 307(c)(3) of the Coastal Zone Management Act of 1972, as amended [16 U.S.C. 1456(c)(3)], that the project described in the Corps of Engineers Public Notice No. 4-2002-1084, Port Bagial 02, will comply with the Alaska Coastal Management Program and that the project will be conducted in a manner consistent with that program.

The Division of Governmental Coordination requests your comments, particularly on the proposed project's consistency with the affected local coastal district management program. For more information on the consistency review process, comment deadlines, and the affected coastal district status, or to submit written comments, please contact the Division of Governmental Coordination at P.O. Box 110030, Juneau, Alaska 99811-0030, (907) 465-3562.

Attachment 2

STATE OF ALASKA

OFFICE OF THE GOVERNOR

DEPT. OF ENVIRONMENTAL CONSERVATION

DIVISION OF AIR AND WATER QUALITY

Non-Point Source Control Section

401 Certification Program

NOTICE OF APPLICATION FOR STATE WATER QUALITY CERTIFICATION

Any applicant for a federal license or permit to conduct an activity that might result in a discharge into navigable waters, in accordance with Section 401 of the Clean Water Act of 1977 (PL95-217), also must apply for and obtain certification from the Alaska Department of Environmental Conservation that the discharge will comply with the Clean Water Act, the Alaska Water Quality Standards, and other applicable State laws. By agreement between the U.S. Army Corps of Engineers and the Department of Environmental Conservation, application for a Department of the Army permit to discharge dredged or fill material into navigable waters under Section 404 of the Clean Water Act also may serve as application for State Water Quality Certification.

Notice is hereby given that the application for a Department of the Army Permit described in the Corps of Engineers' Public Notice No. 4-2002-1084, Port Bagial 02, serves as application for State Water Quality Certification from the Department of Environmental Conservation

After reviewing the application, the Department may certify that there is reasonable assurance that the activity, and any discharge that might result, will comply with the Clean Water Act, the Alaska Water Quality Standards, and other applicable State laws. The Department also may deny or waive certification.

Any person desiring to comment on the project with respect to Water Quality Certification may submit written comments within 30 days of the date of the Corps of Engineer's Public Notice to:

Department of Environmental Conservation
WQM/401 Certification
410 Willoughby Avenue
Juneau, Alaska 99801-1795
Telephone: (907) 465-5321
FAX: (907) 465-5274